



Bearing Rolamentos do Brasil Ltda.



95 mm x 200 mm x 45 mm 02B65MGR Split Bearing 65x127x38.9mm

Bearing No. 6319Ddu

6319Ddu Bearing 2D drawings and 3D CAD models

Size	95x200x45 mm
Bore Diameter	95 mm
Outer Diameter	200 mm
Width	45 mm
d	95 mm
D	200 mm
B	45 mm
C	45 mm
r min.	3 mm
da min.	108 mm
da max	123,5 mm
Da max.	187 mm
ra max.	2,5 mm
Weight	5,76 Kg
Basic dynamic load rating (C)	153 kN
Basic static load rating (C0)	119 kN
(Grease) Lubrication Speed	2 400 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	5.65
EAN	0029176066108
Product Group	B00308
Enclosure	2 Seals



Bearing Rolamentos do Brasil Ltda.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	95MM Bore; 200MM Outside Diameter; 45MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6319DDU
Weight / LBS	12.7008
Bore	3.74 Inch 95 Millimeter
Outer Race Width	1.772 Inch 45 Millimeter
Outside Diameter	7.874 Inch 200 Millimeter
Inner Race Width	0 Inch 0 Millimeter
SRI	17.25
hidYobi	6319DDU



Bearing Rolamentos do Brasil Ltda.

LangID	1
D_	200
SREX	0.065
B_	45
da min	108
hidTable	ecat_NSRDGB
SRE	17.25
mass	5.76
GRS rpm	2400
ra	2.5
SRIX	0.065
D_a	187
SRIN	-0.065
C0	119
fo	13.3
SREN	-0.065
DE_	180.838
Prod_Type3	DGBB_SR_DD
DA_	33.338
bomp	0
Z_	8
yobi	6319DDU
C_conv	153000
ALPHA_	0
SDM_	147.5
r	3
KBRG	6161
SBRG	3
DI_	114.162